



Irish Blood Transfusion Service

Seirbhís Fuilaistriúcháin na hÉireann

Document Detail

Type: PMF IBTS SPEC
Document No.: IBTS/PMF/SPEC/0216[4]
Title: **PLATELETS SUITABLE FOR NEONATAL USE**
Owner: QA DOC CON QA DOC CONTROL
Status: CURRENT
Effective Date: 18-Apr-2021
Expiration Date: 18-Apr-2023

Review

Review: IBTS PMF REVIEW

<u>Level</u>	<u>Owner Role</u>	<u>Actor</u>	<u>Sign-off By</u>
1	DOCUMENT CONTROLLER	REBECCA WALDEN	REBECCA WALDEN
2	QUALITY ASSURANCE WRITER IBTS	REBECCA WALDEN	REBECCA WALDEN
3	LABS HEAD OF MANUFACTURING & ISSUE IBTS	BARRY DOYLE	BARRY DOYLE
3	NATIONAL MEDICAL DIRECTOR	STEPHEN FIELD	STEPHEN FIELD
4	QUALITY ASSURANCE REVIEWER IBTS	COLIN JOHNS	COLIN JOHNS

Change Orders

Changes as described on Change Order: Change Order No.

Change Orders - Incorporated

Changes as described on Change Order: **Change Order No.**
IBTS/CO/0167/21

IRISH BLOOD TRANSFUSION SERVICE
PRODUCT MASTER FILE

TITLE: PLATELETS SUITABLE FOR NEONATAL USE

Change Description:

Revise IBTS/PMF/SPEC/0203 – 0218, 0220, 0221, 0224, 0226, 0227, 0232, 0236 to update the product labels in the appendices for each product.

Reason for Change:

Fix to the labels as part of the semester patch reference CC 126/19/IBTS and reference IBTS/QA/IQ/0600 Deviation 008

Change order No.:

IBTS/CO/0167/21

Referenced Documents

N/A

SmartSolve Roles

N/A

Training Type

N/A

SmartSolve Document Category

Category	Mobile	Cryobiology	Website	GDP
Yes / No	No	No	Yes	No

IRISH BLOOD TRANSFUSION SERVICE PRODUCT MASTER FILE

Title : Platelets Suitable for Neonatal Use

Name of Products:

PLATELETS, Adult Dose, Suitable for Neonatal Use, Irradiated.

PLATELETS, Adult Dose, Suitable for Neonatal Use, Split 1/2/3, Irradiated.

An aliquot can be taken from any component above to make the following:

PLATELETS, Paediatric Dose, Suitable for Neonatal Use, Split 1/2/3, Irradiated,

**E Progesa Codabar Component Codes: 39300 / 39301 / 39304 / 39307
39303 / 39306 / 39309.**

**E Progesa ISBT-128 Component Codes : C3929V00 / C3929VA0 / C3929VB0 / C3929VC0
C3929VAa / C3929VBa / C3929VCa.**

General Description: A platelet preparation, with the majority of leucocytes removed, suspended in plasma obtained from a single donor using automated cell separation equipment. The selected donors meet the additional criteria for neonatal use.

General Specification:

Parameter	Quality Requirement	Frequency of Control
Volume	>40 ml per 60×10^9 platelets	100 %
Platelet Content	$\geq 200 \times 10^9$ / unit	100 %
Leucocyte Content	$< 1 \times 10^6$ / unit	100 %
pH measured (+22°C) at the end of the recommended shelf-life	>6.4	1%

Labelling:	See Appendices I and II
Storage:	Platelets should be stored at $22^{\circ}\text{C} \pm 2^{\circ}\text{C}$. The storage time is 7 days when stored with continuous gentle agitation. An aliquot may be removed for which the storage time is 6 hours. The storage time of the parent product is unchanged.
Irradiation:	Platelets are irradiated routinely during preparation.
Transportation:	Transport containers should be kept open at room temperature for 30 minutes before use. During transportation from the Irish Blood Transfusion Service to the place where they are intended for use, the temperature of platelets must be kept as close as possible to the recommended storage temperature. On receipt, unless intended for immediate therapeutic use, they should be transferred to storage with continuous gentle agitation on a device approved for the purpose, at $22^{\circ}\text{C} \pm 2^{\circ}\text{C}$.
Indications for Use:	To provide platelet replacement where deficiency or functional abnormality is causing significant haemostatic problems.
Precautions in Use:	<ul style="list-style-type: none"> Swirling phenomenon must be demonstrated before infusion. Platelets must be infused intravenously through a fresh infusion set containing an in line 170 – 200 μm filter. Rh D negative female recipients of child bearing potential should preferably not be transfused with platelets from Rh D positive donors. Because of the temperature of storage and preparation the risk of bacterial contamination is increased. No solution should be added to the bag or giving set. Components should be inspected visually for defects, leakage, abnormal colour or visible clots. Not recommended in cases of plasma intolerance.
Adverse Effects Include:	<ul style="list-style-type: none"> <u>Circulatory overload</u> <u>Haemolytic transfusion reaction due to transfusion of ABO-incompatible plasma in the component.</u> <u>Non-haemolytic transfusion reaction</u> (mainly chills, fever and urticaria). The risk is reduced by leucodepletion. <u>Anaphylaxis</u> <u>Pathogen transmission</u> <ul style="list-style-type: none"> Despite careful donor selection and laboratory screening procedures, infections including Syphilis, Viral Hepatitis, HIV, HTLV 1 & 11 and other viruses and protozoa (e.g. malaria) may, in rare instances, occur. vCJD transmission

- Transmission of other pathogens that are not tested for or recognised.
- The risk of CMV transmission is minimal as the components are leucodepleted
- Sepsis due to bacterial contamination (reduced but not eliminated by bacterial screening)
- Metabolic upset
 - Citrate toxicity, especially in neonates and in patients with impaired hepatic function.
- Immunological effects
 - Alloimmunisation to HLA and HPA antigens
 - Post Transfusion purpura (PTP), especially in parous female recipients
 - The risk of Graft vs Host Disease (GvHD) in immuno compromised recipients is eliminated by irradiation
 - Transfusion related Acute Lung injury (TRALI) by donor HLA/granulocyte antibodies

Serious Adverse Reaction

Please inform the IBTS immediately about any event relating to suspected bacterial sepsis/ transfusion associated bacterial sepsis

Serious adverse reactions should be reported to:

National Haemovigilance Office

Irish Blood Transfusion Service
National Blood Centre
James's Street
Dublin 8

AND

Quality Assurance Manager

Irish Blood Transfusion Service

AT EITHER

National Blood Centre
James's Street
Dublin 8

OR

Munster Regional Transfusion Centre
St Finbarr's Hospital
Douglas Road, Cork

APPENDIX I

E Progesa Codabar Component Code: 39300

E Progesa ISBT-128 Component Code : C3929V00

Product Name :

PLATELETS, Adult Dose, Suitable
for Neonatal Use, Irradiated

Shelf Life :

7 days.

Product Label and Barcode:

(for illustration purposes only – barcodes not suitable for scanning – label not to scale)

IBTS ver 2.0

9500

PLATELETS, Adult Dose, Suitable
for Neonatal Use, Irradiated

Store at 22°C ± 2°C

021088

Drawn 29 Mar 2021

300 ml

C3929V00

0210952359

Expiry 05 Apr 2021 23:59

Rh D Negative

This component must not be used if there are visible signs of deterioration. This component may transmit infection.

AGITATE GENTLY THROUGHOUT STORAGE

Must be administered using a suitable transfusion set incorporating a 170 – 200 µm filter.



39300



Expiry 05/04/2021



O Neg

APPENDIX I

E Progesa Codabar Component Code: 39301

E Progesa ISBT-128 Component Code : C3929VA0

Product Name :

PLATELETS, Adult Dose,
Suitable for Neonatal Use,
Split 1, Irradiated

Shelf Life :

7 days.

Product Label and Barcode:

(for illustration purposes only – barcodes not suitable for scanning – label not to scale)

PLATELETS, Adult Dose,
Suitable for Neonatal Use,
Split 1, Irradiated.

Store at 22°C ± 2°C



021088

Drawn 29 Mar 2021



C3929VA0

This component must not be used if there
are visible signs of deterioration. This
component may transmit infection

AGITATE GENTLY THROUGHOUT STORAGE
Must be administered using a suitable
transfusion set incorporating a
170 – 200 µm filter.



5100

O

Rh D Positive

IBTS ver 2.0

300
ml



0210952359

Expiry 05 Apr 2021 23:59



39301



Expiry 05/04/2021



O Pos

APPENDIX I

E Progesa Codabar Component Code: 39304

E Progesa ISBT-128 Component Code : C3929VB0

Product Name :

PLATELETS, Adult Dose,
Suitable for Neonatal Use,
Split 2, Irradiated

Shelf Life :

7 days.

Product Label and Barcode:

(for illustration purposes only – barcodes not suitable for scanning – label not to scale)

0600

IBTS ver 2.0

PLATELETS, Adult Dose,
Suitable for Neonatal Use,
Split 2, Irradiated
Store at 22°C ± 2°C

021088

Drawn 29 Mar 2021

300 ml

C3929VB0

This component must not be used if there are visible signs of deterioration. This component may transmit infection.
AGITATE GENTLY THROUGHOUT STORAGE
Must be administered using a suitable transfusion set incorporating a 170 – 200 µm filter.

0210952359

Expiry 05 Apr 2021 23:59

39304

Expiry 05/04/2021

A Neg

A

Rh D Negative

APPENDIX I

E Progesa Codabar Component Code: 39307

E Progesa ISBT-128 Component Code : C3929VC0

Product Name :

PLATELETS, Adult Dose,
Suitable for Neonatal Use,
Split 3, Irradiated

Shelf Life :

7 days.

Product Label and Barcode:

(for illustration purposes only – barcodes not suitable for scanning – label not to scale)

PLATELETS, Adult Dose,
Suitable for Neonatal Use,
Split 3, Irradiated.

Store at 22°C ± 2°C



021088

Drawn 29 Mar 2021



C3929VC0

This component must not be used if there
are visible signs of deterioration. This
component may transmit infection

AGITATE GENTLY THROUGHOUT STORAGE
Must be administered using a suitable
transfusion set incorporating a
170 – 200 µm filter.



6200

A

Rh D Positive

IBTS ver 2.0

300
ml



0210952359

Expiry 05 Apr 2021 23:59



39307



Expiry 05/04/2021



A Pos

APPENDIX II

E Progesa Codabar Component Code : 39303

E Progesa ISBT-128 Component Code : C3929VAa

Product Name :

PLATELETS, Paediatric Dose,
Suitable for Neonatal Use,
Split 1, Irradiated

Shelf Life :

6 hours.

Product Label and Barcode:

(for illustration purposes only – barcodes not suitable for scanning – label not to scale)

PLATELETS, Paediatric Dose,
Suitable for Neonatal Use,
Split 1, Irradiated
Store at 22°C ± 2°C

021088
Drawn 29 Mar 2021

C3929VAa

300 ml

0210881958
Expiry 29 Mar 2021 19:58

Rh D Positive

IRRADIATED
CMV Antibody Negative

O

IBTS ver 2.0

5100

This component must not be used if there are visible signs of deterioration. This component may transmit infection. AGITATE GENTLY THROUGHOUT STORAGE. Must be administered using a suitable transfusion set incorporating a 170 – 200 µm filter.

39303

Expiry 29/03/2021

O Pos

APPENDIX II

E Progesa Codabar Component Code : 39306

E Progesa ISBT-128 Component Code: C3929VBa

Product Name :

PLATELETS, Paediatric Dose,
Suitable for Neonatal Use,
Split 2, Irradiated

Shelf Life :

6 hours.

Product Label and Barcode:

(for illustration purposes only – barcodes not suitable for scanning – label not to scale)

IBTS ver 2.0

PLATELETS, Paediatric Dose,
Suitable for Neonatal Use,
Split 2, Irradiated
Store at 22°C ± 2°C

021088
Drawn 29 Mar 2021

C3929VBa

300 ml

0210881958
Expiry 29 Mar 2021 19:58

Rh D Positive
IRRADIATED
CMV Antibody Negative

This component must not be used if there are visible signs of deterioration. This component may transmit infection
AGITATE GENTLY THROUGHOUT STORAGE
Must be administered using a suitable transfusion set incorporating a 170 - 200 µm filter.

39306

Expiry 29/03/2021

O Pos

APPENDIX II

E Progesa Codabar Component Code : 39309

E Progesa ISBT-128 Component Code : C3929VCa

Product Name :

PLATELETS, Paediatric Dose,
Suitable for Neonatal Use,
Split 3, Irradiated


Shelf Life :

6 hours.

Product Label and Barcode:


(for illustration purposes only – barcodes not suitable for scanning – label not to scale)

IBTS ver 2.0




5100

PLATELETS, Paediatric Dose,
Suitable for Neonatal Use,
Split 3, Irradiated
Store at 22°C ± 2°C




021088
Drawn 29 Mar 2021



C3929VCa

300 ml




0210881959
Expiry 29 Mar 2021 19:59

O


Rh D Positive

IRRADIATED
CMV Antibody Negative


This component must not be used if there are visible signs of deterioration. This component may transmit infection
AGITATE GENTLY THROUGHOUT STORAGE
Must be administered using a suitable transfusion set incorporating a 170 – 200 µm filter.



39309



Expiry 29/03/2021



O Pos